



Lab Card

Lab Number
ENP-S-03-B1-023

Laboratory Type	Robotics and Artificial Intelligence Lab		مختبر الذكاء الاصطناعي																																											
Building	South Building – 3 rd Floor																																													
Capacity	2 PC's - 218.2 Area (m2)																																													
Equipment (Furniture – Appliances)	1	The laboratory is equipped with: <ul style="list-style-type: none">▪ Extron Control Touch Panel- for speaker & ceiling camera▪ Projector & display curtain▪ Digital ceiling Camera																																												
	2	The laboratory is equipped with: <ul style="list-style-type: none">▪ electricity sockets & network points connected to the internal network of Kuwait University.▪ <u>One Fujitsu PC</u> equipped with: Windows10 Enterprise, MS Office, Rasperry pi imager v1.8, Arduino IDE 2.3, Fischer Technik RoboPro Terminal, PyCharm Community Edition, Eclipse for JAVA, StarUML.▪ <u>One All-in-one DELL PC</u> equipped with: Windows11																																												
	3	<ul style="list-style-type: none">▪ Instructor Table & Chair.▪ Wall Shelving.▪ 21 Wooden Tables, 24 black tables & 20 Chairs.▪ 9 Cabinets.▪ White board.																																												
		<table><tr><th>Sensors Description</th><th>Quantity</th></tr><tr><td>• Camera Digital color for soccer game</td><td>3</td></tr><tr><td>• CMUCAM (C3088 1/4" color camera module with digital output)</td><td>9</td></tr><tr><td>• Compass Magnetic (CMPS03)</td><td>10</td></tr><tr><td>• Flame detector package - UVTron sensor</td><td>5</td></tr><tr><td>• HB-sensor (6 bumper sensor - 4 photocells - 2 IR sensors- 2 sensor connectors)</td><td>10</td></tr><tr><td>• Image frame grabber (My Vision)</td><td>2</td></tr><tr><td>• IR ranging module analog - GP2D12</td><td>20</td></tr><tr><td>• IR Sensors analog (GPD2D12)</td><td>135</td></tr><tr><td>• IR Sensors digital (GPD2D02)</td><td>50</td></tr><tr><td>• LDR (light sensitive resistors)</td><td>20</td></tr><tr><td>• MOTION DETECTOR SENSOR (KC7783)</td><td>3</td></tr><tr><td>• Optical Interrupter switch (H21A1); Break beam opt sensor</td><td>75; 20</td></tr><tr><td>• PROXIMITY IR DETECTOR (SHARP IS471F)</td><td>10</td></tr><tr><td>• motion detector (Pyroelectric sensor package)</td><td>5</td></tr><tr><td>• Reflexive Sensor</td><td>30</td></tr><tr><td>• Thermal array sensor - TPA81</td><td>5</td></tr><tr><td>• Tilt sensor - mercury switch</td><td>5</td></tr><tr><td>• Touch sensor (Micro Switch)</td><td>100</td></tr><tr><td>• Ultrasonic Range Sensor (Sensor SRF08)</td><td>48</td></tr><tr><td>• Fingerprint scanner</td><td>3</td></tr><tr><td>• Sensor/motor kit for cricket</td><td>1</td></tr></table>		Sensors Description	Quantity	• Camera Digital color for soccer game	3	• CMUCAM (C3088 1/4" color camera module with digital output)	9	• Compass Magnetic (CMPS03)	10	• Flame detector package - UVTron sensor	5	• HB-sensor (6 bumper sensor - 4 photocells - 2 IR sensors- 2 sensor connectors)	10	• Image frame grabber (My Vision)	2	• IR ranging module analog - GP2D12	20	• IR Sensors analog (GPD2D12)	135	• IR Sensors digital (GPD2D02)	50	• LDR (light sensitive resistors)	20	• MOTION DETECTOR SENSOR (KC7783)	3	• Optical Interrupter switch (H21A1); Break beam opt sensor	75; 20	• PROXIMITY IR DETECTOR (SHARP IS471F)	10	• motion detector (Pyroelectric sensor package)	5	• Reflexive Sensor	30	• Thermal array sensor - TPA81	5	• Tilt sensor - mercury switch	5	• Touch sensor (Micro Switch)	100	• Ultrasonic Range Sensor (Sensor SRF08)	48	• Fingerprint scanner	3	• Sensor/motor kit for cricket
Sensors Description	Quantity																																													
• Camera Digital color for soccer game	3																																													
• CMUCAM (C3088 1/4" color camera module with digital output)	9																																													
• Compass Magnetic (CMPS03)	10																																													
• Flame detector package - UVTron sensor	5																																													
• HB-sensor (6 bumper sensor - 4 photocells - 2 IR sensors- 2 sensor connectors)	10																																													
• Image frame grabber (My Vision)	2																																													
• IR ranging module analog - GP2D12	20																																													
• IR Sensors analog (GPD2D12)	135																																													
• IR Sensors digital (GPD2D02)	50																																													
• LDR (light sensitive resistors)	20																																													
• MOTION DETECTOR SENSOR (KC7783)	3																																													
• Optical Interrupter switch (H21A1); Break beam opt sensor	75; 20																																													
• PROXIMITY IR DETECTOR (SHARP IS471F)	10																																													
• motion detector (Pyroelectric sensor package)	5																																													
• Reflexive Sensor	30																																													
• Thermal array sensor - TPA81	5																																													
• Tilt sensor - mercury switch	5																																													
• Touch sensor (Micro Switch)	100																																													
• Ultrasonic Range Sensor (Sensor SRF08)	48																																													
• Fingerprint scanner	3																																													
• Sensor/motor kit for cricket	1																																													

- The Safety & Security Dept. Emergency Line (ext. 3333, direct line 24893333) operates 24hours a day, including Fridays & public holidays.
- The Medical CpE Clinic -South Building, Ground Floor- operates for 12 hours daily- 24983455
- Call/WhatsApp Helpdesk: 24984444 to report an issue / malfunction.

	4	<table><tr><th>Processors Description</th><th>Quantity</th></tr><tr><td>• BIOLOID robot kit</td><td>9</td></tr><tr><td>• LEGO MINDSTORM EV3</td><td>5</td></tr><tr><td>• VEX mechatronics kit</td><td>11</td></tr><tr><td>• FISCHERTECHNIK robot set</td><td>15</td></tr><tr><td>• FS-I6 Radio control system</td><td>5</td></tr><tr><td>• Lynx motion Drone</td><td>2</td></tr><tr><td>• ALPHA UBTECH robot</td><td>1</td></tr><tr><td>• OPTIC 5 Radio control system</td><td>1</td></tr><tr><td>• OZOBOT</td><td>30</td></tr><tr><td>• Fischer Technik 3D printer</td><td>2</td></tr><tr><td>• Raspberry pi 3</td><td>6</td></tr><tr><td>• Arduino Uno</td><td>30</td></tr><tr><td>• Ebot</td><td>6</td></tr><tr><td>• App-enabled Droid</td><td>10</td></tr><tr><td>• Dual POB robotic controller</td><td>5</td></tr><tr><td>• Mindset and accessories and 2 caps</td><td>1</td></tr><tr><td>• POB-8001 robot</td><td>10</td></tr><tr><td>• Radio-control servo controller (Microrobot) - RS servo8 and accessories</td><td>5</td></tr><tr><td>• Robot Lego mindstrom NXT</td><td>11</td></tr><tr><td>• Robot Soccer player + playground</td><td>3</td></tr><tr><td>• robot Sumo bot</td><td>5</td></tr><tr><td>• Soccer game board and microrobots</td><td>1</td></tr><tr><td>• SuperCX super cricket microcontroller + USB cricket beamer</td><td>2</td></tr></table>	Processors Description	Quantity	• BIOLOID robot kit	9	• LEGO MINDSTORM EV3	5	• VEX mechatronics kit	11	• FISCHERTECHNIK robot set	15	• FS-I6 Radio control system	5	• Lynx motion Drone	2	• ALPHA UBTECH robot	1	• OPTIC 5 Radio control system	1	• OZOBOT	30	• Fischer Technik 3D printer	2	• Raspberry pi 3	6	• Arduino Uno	30	• Ebot	6	• App-enabled Droid	10	• Dual POB robotic controller	5	• Mindset and accessories and 2 caps	1	• POB-8001 robot	10	• Radio-control servo controller (Microrobot) - RS servo8 and accessories	5	• Robot Lego mindstrom NXT	11	• Robot Soccer player + playground	3	• robot Sumo bot	5	• Soccer game board and microrobots	1	• SuperCX super cricket microcontroller + USB cricket beamer	2
	Processors Description	Quantity																																																
• BIOLOID robot kit	9																																																	
• LEGO MINDSTORM EV3	5																																																	
• VEX mechatronics kit	11																																																	
• FISCHERTECHNIK robot set	15																																																	
• FS-I6 Radio control system	5																																																	
• Lynx motion Drone	2																																																	
• ALPHA UBTECH robot	1																																																	
• OPTIC 5 Radio control system	1																																																	
• OZOBOT	30																																																	
• Fischer Technik 3D printer	2																																																	
• Raspberry pi 3	6																																																	
• Arduino Uno	30																																																	
• Ebot	6																																																	
• App-enabled Droid	10																																																	
• Dual POB robotic controller	5																																																	
• Mindset and accessories and 2 caps	1																																																	
• POB-8001 robot	10																																																	
• Radio-control servo controller (Microrobot) - RS servo8 and accessories	5																																																	
• Robot Lego mindstrom NXT	11																																																	
• Robot Soccer player + playground	3																																																	
• robot Sumo bot	5																																																	
• Soccer game board and microrobots	1																																																	
• SuperCX super cricket microcontroller + USB cricket beamer	2																																																	
	5	<table><tr><th>Motors Description</th><th>Quantity</th></tr><tr><td>Futaba cog and link kit with 40 treads and pins</td><td>5</td></tr><tr><td>Futaba cog black link kit with 20 treads and pins</td><td>10</td></tr><tr><td>H-bridge Amp (Red)</td><td>16</td></tr><tr><td>H-bridge motor driver I.C. L293D</td><td>50</td></tr><tr><td>motor FAUL gearhead</td><td>10</td></tr><tr><td>motor AIWA 26FL-060"</td><td>10</td></tr><tr><td>motor DC (Mabuchi)</td><td>30</td></tr><tr><td>motor Mini vibrating length 17.6mm; length 23mm ; length 27mm</td><td>10</td></tr><tr><td>Motors DC 3-V</td><td>50</td></tr><tr><td>Motors DC 9-V</td><td>8</td></tr><tr><td>motors Two gearhead with 130mm pin spike tire set</td><td>4</td></tr><tr><td>motors Two gearhead with 64mm sponge tire set</td><td>4</td></tr><tr><td>regulator 12V-voltage I.C. 78T12CT</td><td>50</td></tr><tr><td>regulator 5V-voltage I.C. 78T05CT</td><td>50</td></tr><tr><td>relay module Scientifc-12c-serial</td><td>5</td></tr><tr><td>Servo controller module - SD21</td><td>5</td></tr><tr><td>servo Futaba with wheels (output torque= 3kg)</td><td>4</td></tr><tr><td>SERVO MOTOR. GENERAL PURPOSE. R-29-MX-400 BRAIN STEM.</td><td>15</td></tr><tr><td>Servo MOTORS (MPI)</td><td>44</td></tr><tr><td>servos Extra high torque</td><td>5</td></tr><tr><td>stepper motor driver Unipolar</td><td>4</td></tr></table>	Motors Description	Quantity	Futaba cog and link kit with 40 treads and pins	5	Futaba cog black link kit with 20 treads and pins	10	H-bridge Amp (Red)	16	H-bridge motor driver I.C. L293D	50	motor FAUL gearhead	10	motor AIWA 26FL-060"	10	motor DC (Mabuchi)	30	motor Mini vibrating length 17.6mm; length 23mm ; length 27mm	10	Motors DC 3-V	50	Motors DC 9-V	8	motors Two gearhead with 130mm pin spike tire set	4	motors Two gearhead with 64mm sponge tire set	4	regulator 12V-voltage I.C. 78T12CT	50	regulator 5V-voltage I.C. 78T05CT	50	relay module Scientifc-12c-serial	5	Servo controller module - SD21	5	servo Futaba with wheels (output torque= 3kg)	4	SERVO MOTOR. GENERAL PURPOSE. R-29-MX-400 BRAIN STEM.	15	Servo MOTORS (MPI)	44	servos Extra high torque	5	stepper motor driver Unipolar	4				
Motors Description	Quantity																																																	
Futaba cog and link kit with 40 treads and pins	5																																																	
Futaba cog black link kit with 20 treads and pins	10																																																	
H-bridge Amp (Red)	16																																																	
H-bridge motor driver I.C. L293D	50																																																	
motor FAUL gearhead	10																																																	
motor AIWA 26FL-060"	10																																																	
motor DC (Mabuchi)	30																																																	
motor Mini vibrating length 17.6mm; length 23mm ; length 27mm	10																																																	
Motors DC 3-V	50																																																	
Motors DC 9-V	8																																																	
motors Two gearhead with 130mm pin spike tire set	4																																																	
motors Two gearhead with 64mm sponge tire set	4																																																	
regulator 12V-voltage I.C. 78T12CT	50																																																	
regulator 5V-voltage I.C. 78T05CT	50																																																	
relay module Scientifc-12c-serial	5																																																	
Servo controller module - SD21	5																																																	
servo Futaba with wheels (output torque= 3kg)	4																																																	
SERVO MOTOR. GENERAL PURPOSE. R-29-MX-400 BRAIN STEM.	15																																																	
Servo MOTORS (MPI)	44																																																	
servos Extra high torque	5																																																	
stepper motor driver Unipolar	4																																																	
Printer	Printer: Lexmark W850																																																	
Accommodation for people of determination	▪Allocating seating places for the disabled on the edges of corridors and rows, on flat places, near services and emergency doors. ▪ The availability of the necessary spaces that allow the disabled to move and see clearly.																																																	


- The Safety & Security Dept. Emergency Line (ext. 3333, direct line 24893333) operates 24hours a day, including Fridays & public holidays.
- The Medical CpE Clinic -South Building, Ground Floor- operates for 12 hours daily- 24983455
- Call/WhatsApp Helpdesk: 24984444 to report an issue / malfunction.

Safety & Security	<ul style="list-style-type: none"> ▪ Doors open outward with electronic card system (Key Card Access). ▪ Fire-fighting equipment inside the laboratory: Fire Extinguisher, Fire Blanket & First Aid Kit. ▪ Evacuation Plan: Presence of safety guidelines to evacuate the plant in the event of a fire. ▪ Wiring extensions are safe and do not pose a risk to students. ▪ Smoke Alarm
Laboratory Uses	AI , Robotics Course, CpE-434 Course
Officials	Eng. Tarik Abdul Aziz Al Melhem
Awareness & Guidance	The presence of instructions for correct use & instructions to maintain laboratory equipment,

-
- The Safety & Security Dept. Emergency Line (ext. 3333, direct line 24893333) operates 24hours a day, including Fridays & public holidays.
 - The Medical CpE Clinic -South Building, Ground Floor- operates for 12 hours daily- 24983455
 - Call/WhatsApp Helpdesk: 24984444 to report an issue / malfunction.

Artificial Intelligence Lab is a special computer laboratory that serves CpE-434 (Robotics) and all the students of the CpE department. They can use it to learn assembling and programming different kinds of robots that perform different functionalities. Moreover, this lab contains the equipment related to sensors, processors, and motors.

مختبر الذكاء الصناعي مختبر خاص يخدم طلبة مقرر CpE-434 (الروبوتات) وكذلك يستخدم من قبل طلبة هندسة الكمبيوتر، لتعلم تركيب وبرمجة أنواع مختلفة من الروبوتات التي تؤدي وظائف مختلفة. علاوة على ذلك، يحتوي هذا المختبر على المعدات المتعلقة بأجهزة الاستشعار والمعالجات والمحركات.



- The Safety & Security Dept. Emergency Line (ext. 3333, direct line 24893333) operates 24hours a day, including Fridays & public holidays.
- The Medical CpE Clinic -South Building, Ground Floor- operates for 12 hours daily- 24983455
- Call/WhatsApp Helpdesk: 24984444 to report an issue / malfunction.



Lab Number
ENP-S-03-B1-023



Lab Number
ENP-S-03-B1-023

- The Safety & Security Dept. Emergency Line (ext. 3333, direct line 24893333) operates 24hours a day, including Fridays & public holidays.
- The Medical CpE Clinic -South Building, Ground Floor- operates for 12 hours daily- 24983455
- Call/WhatsApp Helpdesk: 24984444 to report an issue / malfunction.



Lab Number
ENP-S-03-B1-023



Lab Number
ENP-S-03-B1-023

- The Safety & Security Dept. Emergency Line (ext. 3333, direct line 24893333) operates 24hours a day, including Fridays & public holidays.
- The Medical CpE Clinic -South Building, Ground Floor- operates for 12 hours daily- 24983455
- Call/WhatsApp Helpdesk: 24984444 to report an issue / malfunction.